


OF

B



C. . . , a . a . a a a .
a . . . a . a
. a , . a a
. a . a . a . . . , a a a . a .
. . . . a a . . a . a . a 20 .
. . . , a a . a . a a
. . . . a . . . a . a C . . . ,
a a . a . a a . . .

$$\frac{dN}{dt} = aN - (a - c)N - (d + f)N$$

(b) Mutation rate evolution in hosts

A ... a ... a ... , ... a
a ... a ...
a ... a ... a ... a ...
, a ... a ... a ... a ... a (...
3b) ... a ... a ...

a a a a a (a a -
 a a a a 1). a a
 a a a a a a a a a a a
 a a a a a a a a a a a a a
 B a a a a a a a a a a a a a
 a a a a a a a a a a a a a

a a a e ceed a (-
 a a a , 4). a a a
 a , a a a
 a , (-
 a a a , 6). A
 e al. 3, a , a
 a a a a
 a a a a a a ,
 a a a a a a 3.
 a a a a a ,
 a a a .

4. Analytical model

a a a a a a
 A a a 20, a a a
 a a a a a a a
 a a a (a , a a
 , a a ; 20). B a a a a'

a a
a a , a a
a a a a
a a (.
a a 1).

30. Ebert D, Herre EA. 1996 The evolution of parasitic diseases. *Parasitol. Today* **12**, 96–101. (doi:10.