



7KH (IIHFW RI .OH SWRS DUDVLWLF %DOG (DJOHV DQG * \UIDOFRQV)DOFRQV +XQWLQJ 'XQOLQV :LQWHULQJ LQ %ULWLVK &ROXPED (+DOLDHHWXV OHXFRFH SKDOXV \)DOFR UXVWLFR OXV VREUH OD 7D SHUHJULQXV VREUH LQGLYLGXR V GH &DOLGULV DOSLQD TXH ,QYH \$XWKRU V 'LFN 'HNNHU 0DULQGH 2XW 0LHF KHO 7DEDN 5RQDOO 5HYLHZHG ZRUN V
6RXUFKH &RQGRQ/ 1R 0D\ SS
434 ETD 05/14/04 EE University of California at Berkeley W K H Cooper Ornithological

THE EFFECT OF KLEPTOPARASITIC BALD EAGLES AND GYRFALCONS
ON THE KILL RATE OF PEREGRINE FALCONS HUNTING DUNLINS
WINTERING IN BRITISH COLUMBIA

DICK DEKKER^{1,5}, MARINDE OUD², MIECHEL ABAK³

⁵E-mail: ddekker1@telus.net

a range of taxa from large carnivorous mammals to arthropods, and it is even practiced as a deliberate foraging tactic by some African tribes (Schoe et al. 2009). Kleptoparasitism

DISCUSSION

