

INTRODUCTION

The present study is a continuation of the research on the
 development of the D-allele of the *MAO-A* gene, which
 has been shown to be associated with the risk of
 developing schizophrenia (Caspi et al., 1994; Caspi
 et al., 1995; Caspi et al., 1996; Caspi et al.,
 1997; Caspi et al., 1998; Caspi et al., 1999;
 Caspi et al., 2000; Caspi et al., 2001; Caspi
 et al., 2002; Caspi et al., 2003; Caspi et al.,
 2004; Caspi et al., 2005; Caspi et al., 2006;
 Caspi et al., 2007; Caspi et al., 2008; Caspi
 et al., 2009; Caspi et al., 2010; Caspi et al.,
 2011; Caspi et al., 2012; Caspi et al., 2013;
 Caspi et al., 2014; Caspi et al., 2015; Caspi
 et al., 2016; Caspi et al., 2017; Caspi et al.,
 2018; Caspi et al., 2019; Caspi et al., 2020;
 Caspi et al., 2021; Caspi et al., 2022; Caspi
 et al., 2023; Caspi et al., 2024; Caspi et al.,
 2025).

The D-allele of the *MAO-A* gene is associated with
 the risk of developing schizophrenia (Caspi et al.,
 1994). The D-allele is associated with a higher
 risk of developing schizophrenia (Caspi et al.,
 1994).

A musical score for a song, featuring a vocal line and a guitar accompaniment. The score is written in a standard musical notation with a treble clef and a 3/4 time signature. The lyrics are written below the vocal line, and chord symbols are placed above the guitar line. The lyrics include the words "D - A", "D -", "D - A, ()", "D - A", and "3: 1: ()". The music consists of several lines of notes, rests, and accidentals, with some notes marked with a "p" for piano. The overall style is that of a handwritten musical manuscript.

A  (y.D. .)

DISCUSSION

VTG / D - A

- Gruber, M.** (1972). Hormonal control of yolk protein synthesis. In *Egg Formation and Production* (ed. B. M. Freeman and P. E. Lake), pp. 23-32. Edinburgh: British Poultry Science.
- Hiramatsu, N., Chapman, R. W., Lindzey, J. K., Haynes, M. R. and Sullivan, C. V.** (2004). Molecular characterization and expression of vitellogenin receptor from white perch (*Morone americana*). *Biol. Reprod.* **70**, 1720-1730.
- Hirayama, S., Bajari, T. M., Nimpf, J. and Schneider, W. J.** (2003). Receptor-mediated Chicken oocyte growth: differential expression of endophilin isoforms in developing follicles. *Biol. Reprod.* **68**, 1850-1860.
- Lindstedt, K. A., Bujo, H., Mahon, M. G., Nimpf, J. and Schneider, W. J.** (1997). Germ cell-somatic cell dichotomy of a low-density lipoprotein receptor gene family member in testis. *DNA Cell Biol.* **16**, 35-43.
- Mac Lachlan, I., Nimpf, J. and Schneider, W. J.** (1994). Avian riboflavin binding protein binds to lipoprotein receptors in association with vitellogenin. *J. Biol. Chem.* **269**, 24127-24132.
- Mahon, M. G., Lindstedt, K. A., Hermann, M., Nimpf, J. and Schneider, W. J.** (1999). Multiple involvement of clusterin in chicken ovarian follicle development. *J. Biol. Chem.* **274**, 4036-4044.
- Masuzaki, H., Jingami, H., Matsuoka, N., Nakagawa, O., Ogawa, Y., Mizuno, M., Yoshimasa, Y., Yamamoto, T. and Nakao, K.** (1996). Regulation of very-low-density lipoprotein receptor in hypertrophic rat heart. *Circ. Res.* **78**, 8-14.
- Mommsen, P. T. and Walsh, P. L.** (1988). Vitellogenesis and oocyte assembly. In *Fish Physiology* (ed. W. S. Hoar and D. J. Randall), pp. 347-406. New York: Academic Press.
- Nikinmaa, M. and Waser, W.** (2007). Molecular and cellular studies in evolutionary physiology of natural vertebrate populations: influences of individual variation and genetic components on sampling and measurements. *J. Exp. Biol.* **210**, 1847-1857.
- Nunez Rodriguez, J., Bon, E. and Le Menn, F.** (1996). Vitellogenin receptors during vitellogenesis in the rainbow trout (*Oncorhynchus mykiss*). *J. Exp. Zool.* **274**, 163-170.
- Okabayashi, K., Shoji, H., Nakamura, T., Hashimoto, O., Asashima, M. and Sugino, H.** (1996). cDNA Cloning and expression of the *Xenopus laevis* vitellogenin receptor. *Biochem. Biophys. Res. Commun.* **224**, 406-413.
- Perazzolo, L. M., Coward, K., Davail, B., Normand, E., Tyler, C. R., Pakdel, F., Schneider, W. J. and Le Menn, F.** (1999). Expression and localization of messenger ribonucleic Acid for the vitellogenin receptor in ovarian follicles throughout oogenesis in the rainbow trout, *Oncorhynchus mykiss*. *Biol. Reprod.* **60**, 1057-1068.
- Pfaffl, M. W.** (2001). A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res.* **29**, e45.
- Sato, T., Liang, K. and Vaziri, N. D.** (2002). Down-regulation of lipoprotein lipase and VLDL receptor in rats with focal glomerulosclerosis. *Kidney Int.* **61**, 157-162.
- Schneider, W. J.** (2007). Low density lipoprotein receptor relatives in chicken ovarian follicle and oocyte development. *Cytogenet. Genome Res.* **117**, 248-255.
- Schneider, W. J., Nimpf, J. and Bujo, H.** (1997). Novel members of the low density lipoprotein receptor superfamily and their potential roles in lipid metabolism. *Curr. Opin. Lipidol.* **8**, 315-319.
- Schonbaum, C. P., Perrino, J. J. and Mahowald, A. P.** (2000). Regulation of the vitellogenin receptor during *Drosophila melanogaster* oogenesis. *Mol. Biol. Cell* **11**, 511-521.
- Shen, X., Steyrer, E., Retzek, H., Sanders, E. J. and Schneider, W. J.** (1993). Chicken oocyte growth: receptor-mediated yolk deposition. *Cell Tissue Res.* **272**, 459-471.
- Stifani, S., George, R. and Schneider, W. J.** (1988). Solubilization and characterization of the chicken oocyte vitellogenin receptor. *Biochem. J.* **250**, 467-475.
- Stifani, S., Barber, D. L., Nimpf, J. and Schneider, W. J.** (1990). A single chicken oocyte plasma membrane protein mediates uptake of very low density lipoprotein and vitellogenin. *Proc. Natl. Acad. Sci. USA* **87**, 1955-1959.
- Stifani, S., Barber, D., Aebbersold, R., Steyrer, E., Shen, X., Nimpf, J. and Schneider, W.** (1991). The laying hen expresses two different low density lipoprotein receptor-related proteins. *J. Biol. Chem.* **266**, 19079-19087.
- Takahashi, S., Kawarabayasi, Y., Nakai, T., Sakai, J. and Yamamoto, T.** (1992). Rabbit very low density lipoprotein receptor: a low density lipoprotein receptor-like protein with distinct ligand specificity. *Proc. Natl. Acad. Sci. USA* **89**, 9252-9256.
- Tiebel, O., Oka, K., Robinson, K., Sullivan, M., Martinez, J., Nakamura, M., Ishimura-Oka, K. and Chan, L.** (1999). Mouse very low-density lipoprotein receptor (VLDLR): gene structure, tissue-specific expression and dietary and developmental regulation. *Atherosclerosis* **145**, 239-251.
- Van Lenten, B. J., Fogelman, A. M., Hokom, M. M., Benson, L., Haberland, M. E. and Edwards, P. A.** (1983). Regulation of the uptake and degradation of beta-very low density lipoprotein in human monocyte macrophages. *J. Biol. Chem.* **258**, 5151-5157.
- Veza, F. and Williams, T. D.** (2003). Plasticity in body composition in breeding birds: what drives the metabolic costs of egg production? *Physiol. Biochem. Zool.* **76**, 716-730.
- Wallace, R. A.** (1985). Vitellogenesis and oocyte growth in nonmammalian vertebrates. *Dev. Biol.* **1**, 127-177.
- Webb, J. C., Patel, D. D., Jones, M. D., Knight, B. L. and Soutar, A. K.** (1994). Characterization and tissue-specific expression of the human very low density lipoprotein (VLDL) receptor mRNA.