

Biology of Black Oystercatchers Breeding on Triangle Island, British Columbia, 2003–2011

Author(s): J. Mark Hipfner, Kyle W. Morrison, and Amy-Lee Kouwenberg

Source: *Northwestern Naturalist*, 93(2):145-153. 2012.

Published By: Society for Northwestern Vertebrate Biology

DOI: <http://dx.doi.org/10.1898/nwn12-02.1>

URL: <http://www.bioone.org/doi/full/10.1898/nwn12-02.1>

BioOne (www.bioone.org) is a nonprofit, online aggregation of core research in the biological, ecological, and environmental sciences. BioOne provides a sustainable online platform for over 170 journals and books published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Web site, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/page/terms_of_use.

Usage of BioOne content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

, 200 2011

Centre for Wildlife Ecology, Simon Fraser University and Environment Canada, RR#1 5421 Robertson Road,
Delta, BC V4K 3N2; mark.hipfner@ec.gc.ca

Centre for Wildlife Ecology, Simon Fraser University, 8888 University Drive, Burnaby, BC V5A 1S6

0 0 , ,) (. . . . 0 ,
200 200 ,

y (.2). 1 (200) 2 2
 2.1 ± 0. (s) / 2011 (200 200) 1 y 2
 2. ± 0. (s) / 2010. - 1 (200).
 2011 (.2), y 200 , 200 , 200 ,
 y 1
 y (200 , 200 ,



Year	2010	2000	2001	2002	2003
Adult and Juvenile Survival	0.0	0.0	0.0	0.0	0.0
Breeding Density	2.2	2.2	2.2	2.2	2.2

y
 12 1 y (y, 200).
 y (' y
 1, 1),
 y y y
 - y y y
 y - y.
 2 y 1 1, 1 1
 0 y (1).
 ' y (1, 1)
 1 1 10 y 1 2
 y, 1.1 (1.2) 2% 1
 y 1
 2 y 1, 0 (1, 2).
 - y 20
 (y 1).
 y 1, 1 y (1, 1)
 1 y 1 y 2001
 2002, y (200)

Clutch Size and Egg Size
 1 y 2.1
 2. / (' y 1, 0)
 1.1) (1)
 2. / 1
 1.1 (1) 2. /
 1, 0 (1, 2) 1, 2.2 / -
 2, 1 y
 (1 1 y
 1, 1 1, 2).
 2. / y

2010.

y,