

 ..., , ..., Quiscalus mexicanus

 91%

 ..., 1989). H

 ..., 1989). H

 ..., 1989, H

 ..., 1986, O, ..., 2000, H

 ..., 2002, R

 ..., SSD

 ..., SSD

 ..., SSD

 ..., SSD

 ..., SSD

 ..., SSD

 ..., SSD

The Ar a standard Ar - rear is 10 10/0, 01, 0, and 10 pt - - 01, and 1 pt - and the Age and the Age and the second second Et . Sturnus vulgaris. I. • , SSD • , ..., '..., '• , '• , ..., '... to the transformed of the second s (C. 2005, L. 2005, ... ▶,) _, _, ▶, (C. • 1993, •, ▶,). T••• a color that we when the proves at a top the second of the 14/_4 SSD. 4 1 4 4 4 4 4 4 4 4 entry I and sen An ergen en alter and the فرجايه المرفوق فرفتهم والمتحاد المتحاد والمحاجب فالمحاج والمحاج والمحا - , , , , , , , , , , , , , , , , , (O, , , 2000, H. , • ... 2002, R. • / • ... 2005). • Ariger to Barer A Brading arrive (ere

By 6 with we we vigt 6, in 1999 we we we that the phase of a phase to set of the set of

S (CMI; M SSD (CMI; 2003, T 2003, C 2005, D 2002).

Methods

Field site

Т•, 🖡		A. C. A.	Α	M., 2005 .
				, C.A,
C	(49°10′N	, 122°50′). T••	
- 1	250 .	, •	A	_1 A_1
_ A.A		Antes	• , 🌬 •	🗛 🐽 , e . T•e

Growth. survival and immune responses of nestlings

As a second of the second of t ▶ • , • ---/ ▶) - • - • , - · , - 5, 10, 15 - , • (• • 10, • • • • • • •,, (10, ..., R, ..., R, 1979). • -/e, e_A/, __e, , , , , , , , 10, __e very and the former on super them and man have see the even we have been erraer , Ale a le PHA a page a ser a the phane in the phane in the second state and R (1999). a have any she is the the alpha and a solution and the gradient of the Provension for the second seco and not going is not the indiget and in any in the neurophysical states in the transformed in the

Molecular sexing

A ____ / __ / __ / __ // __ / / __ / / / ___/ • • • • L • • • (2005), • • • (PCR) P2 (5'-TCTGCATCGCTAAATCCTTT) _, C

(5'-AGAAATCATTCCAGAAGTTCA) , •, •, ·

Statistical data analysis

• • • , A C • (A	NCOVA)
-1/	· · · · · · · · · · · · · · · · · · ·
• • • • • • • • • • • • • • • • • • •	• ·, /· · · · · · · ·
the a replication to have	
• • • • • • • • • • • • • • • • • • •	
· · · · · · · · · · · · · · · · · · ·	
A., GLMM	
	$\frac{1}{5}$ $\frac{1}{2}$ $\frac{1}{2}$

· .· . 5· 2-296.3(· .)-9

.... A, ... L. ... A, ... O,, . (2000) and Barra the second and a fairful and get and a • _ , Parus major (7% SSD), • _ • . surture a se Alexan result of the (-, -, -, +, -, -)· And A I at e. - · prop en egy and Nor the matrix have been to be made --- A / A in all sin failer And a share A present a second second second second /8 A. (B, ..., 1999, H//. 1999, S 2003). D. and a fear that a fear way that a get a $\frac{1}{2} = \frac{1}{2} + \frac{1$ • · · · (F. · • • 2002, C · . • 2. 2005)

. -

Acknowledgenerith B. G. J. Mar. S. M. B. C. 7 (. 1, .) 27B, (-727.2(. () -367.5(, .) -7747 () -365.6(,) 241.8(, .) TJO

- O, , , K. R. 2000. S. J. A. . . E. . . 69: 903– 912.