

Publications:

Wang H, Wu LJ, Kim SS, Lee FJ, Gong B, Toyoda H, Ren M, Shang YZ, Xu H, Liu F, Zhao MG, Zhuo M. FMRP acts as a key messenger for dopamine modulation in the forebrain. *Neuron*. 2008 Aug 28;59(4):634-47.

Wang M, Lee FJ, Liu F. Dopamine receptor interacting proteins (DRIPs) of dopamine D1-like receptors in the central nervous system. *Mol Cells*. 2008 Apr 30;25(2):149-57. Epub 2008 Mar 28. Review.

Lee FJ, Liu F. Genetic factors involved in the pathogenesis of Parkinson's disease. *Brain Res Rev*. 2008 Aug;58(2):354-64. Epub 2008 Feb 11.

Moszczynska A, Saleh J, Zhang H, Vukusic B, Lee FJ, Liu F. Parkin disrupts the alpha-synuclein/dopamine transporter interaction: consequences toward dopamine-induced toxicity. *J Mol Neurosci*. 2007;32(3):217-27.

Lee FJ, Pei L, Moszczynska A, Vukusic B, Fletcher PJ, Liu F. Dopamine transporter cell surface localization facilitated by a direct interaction with the dopamine D2 receptor. *EMBO J*. 2007 Apr 18;26(8):2127-36. Epub 2007 Mar 22.

Zou S, Li L, Pei L, Vukusic B, Van Tol HH, Lee FJ, Wan Q, Liu F. Protein-protein coupling/uncoupling enables dopamine D2 receptor regulation of AMPA receptor-mediated excitotoxicity. *J Neurosci*. 2004 Feb 4;24(5):1149-58.

Chen F, Tandon A, Sanjo N, Gu YJ, Hasegawa H, Arawaka S, Lee FJ, Ruan X, Mastrangelo P, Erdebil S, Wang L, Westaway D, Mount HT, Yankner B, Fraser PE, St George-Hyslop P. Presenilin 1 and presenilin 2 have differential effects on the stability and maturation of nicastrin in Mammalian brain. *J Biol Chem*. 2003 May 30;278(22):19974-9. Epub 2003 Mar 18.

Xu J, Kao SY, Lee FJ, Song W, Jin LW, Yankner BA. Dopamine-dependent neurotoxicity of alpha-synuclein: a mechanism for selective neurodegeneration in Parkinson disease. *Nat Med*. 2002 Jun;8(6):600-6.

Lee FJ, Liu F, Pristupa ZB, Niznik HB. Direct binding and functional coupling of alpha-synuclein to the dopamine transporters accelerate dopamine-induced apoptosis. FASEB J