

Index

by bos

1-form, 10

4-acceleration, 184

4-force, 115

4-momentum, 116

total, 122

4-velocity, 114

A

acceleration

4-acceleration, 184

Newtonian, 74

action function or functional

(see also Lagrangian), 594, 598

ADM action, 606

affine parameter, 77, 79

alternating operation, antisymmetrization, 27

angle field, 44

anisotropic fluid, 218–220, 276

collapse, 424–431

anti-de Sitter space-time, 195, 644, 663–664

anti-self-dual, 671

antisymmetric oriented tensor, 49

antisymmetric tensor, 28

antisymmetrization, 27

arc length parameter, 81

arc separation function, 85

arc separation parameter, 77

Arnowitt-Deser-Misner action integral, 606

atlas, 3

complete, 3

maximal, 3

B

Betti number, 589

Bianchi type-I models, 448

Bianchi's differential identities, 60

complex valued, 532–533

consequences of in Newman-Penrose

- causality violation, 663
- characteristic hypersurface, 623
- characteristic matrix, 625
- characteristic ordinary differential equations, 612
- characteristic polynomial equation, 177
- characteristic surface, 619
- charge-current, 125
- charged dust, 125, 134, 226, 317
- chart, 1
- Christoffel symbol, 57
 - first kind, 57
 - second kind, 57
- closed form, 33
- Codazzi-Mainardi equations, 100
- commutator or Lie bracket, 40
- comoving coordinate chart, 198
- complete atlas, 3
- complex conjugate coordinates, 621
- complex electromagnetic potential, 356
- complex gravo-electromagnetic potential, 356
- complex null tetrad field, 485
- complex potential, 331–332, 348
- components
 - coordinate, 21
 - covariant, 11
 - orthonormal, 47
 - physical, 120
- conformal group, 640
- conformal mapping, 70
- conformal tensor, 71
- conformally flat domain, 71
- conformally flat space-time, 149, 639–646
- conformastat metric, 309
- conformastationary metric, 358
- conjugate holomorphic function, 622
- conjugate points, 81
- conjugate, contravariant, or inverse metric tensor, 44
- constant curvature, space, 68, 73
- continuity equation, 122, 126, 186, 232
- continuum mechanics, 117
- contraction operation, 21
- contravariant index, 51
- contravariant order, 18
- coordinate chart or system
 - Boyer-Lindquist, 334, 399
 - Cartesian, 44, 68
 - comoving, 198
 - Doran, 415
 - doubly-null, 130
 - Eddington-Finkelstein, 371, 383
 - Gaussian normal, 67, 202
 - geodesic normal, 67, 102, 202
 - Kerr-Schild, 414
 - Kruskal-Szekeres, 379–380
 - local, 1
 - local Minkowskian, 153
 - Minkowskian, 105
 - normal or hypersurface orthogonal, 67
 - orthogonal, 61
 - Painlevé-Gullstrand, 370
 - pseudo-Cartesian, 45, 68
 - Regge-Wheeler tortoise, 371
 - Riemann normal, 67
 - Synge's doubly-null, 372
 - Weyl's, 289
 - Weyl-Lewis-Papapetrou (WLP), 330
- coordinate components, 21
- coordinate conditions, 165
- cosmological constant, 163, 233, 435
- cosmological principle, 434
- cotangent vector field, 9
- cotangent vector space, 9
- Cotton-Schouten-York tensor, 309
- covariant, 52
- covariant components, 11
- covariant derivative, 51
 - of relative and oriented relative tensor fields, 63
- covariant index, 51
- covariant order, 18
- covariant vector field, 9
- critical energy density, 448
- critical point, 593
- curvature invariant, 63
- curvature scalar, 63

- curvature tensor, 55
- curve
 - integral, 35
 - non-null, 81
 - null, 112
 - parameterized, 11
 - profile, 92
 - spacelike, 111
 - timelike, 112
- curved domain, 64
- Curzon-Chazy metric, 299
- cusplike, 16
- D
- dark energy, 461
- de Sitter space-time, 431, 450, 644
- deceleration function, 448
- deceleration parameter, 448
- deDonder gauge, 649
- deformable solid, 220–222, 276
- degree (system of p.d.e.s), 611
- delta
 - Kronecker, 8
- derivative
 - covariant, 51, 63
 - covariant directional, 52
 - directional, 7, 52
 - exterior, 31
 - Fermi, 147
 - gauge covariant, 561
 - Lie, 35–38
 - variational, 595, 599
- derivative mapping, 22
- determinate system, 166
- differentiable manifold, 3
- differential conservation of energy-momentum, 120
- differential form, 31
- directional derivative, 7
- domain
 - curved, 64
 - flat, 64
- dominant energy condition, 181
- Doran coordinate chart, 415
- dot product or inner-product, 42
- double Hodge-dual, 84
- doubly-null coordinates, 130
- dual vector space, 9
- dubiosity, 82
- dust, 122, 125, 134, 185, 186, 216, 226, 317, 435, 437, 438, 441, 448, 452, 470
 - collapse, 383–386
- E
- eccentricity, 245
- Eddington-Finkelstein coordinates, 371, 383
- Eguchi-Hansen gravitational instantons, 671
- Einstein space, 69
- Einstein static universe, 434
- Einstein summation convention, 7
- Einstein tensor, 63
- Einstein's field equations, 164
 - complex-valued form, 532
- Einstein-Hilbert Lagrangian density, 168
- Einstein-Maxwell equations, 224, 263
- Einstein-Maxwell-Klein-Gordon equations, 560
 - orthonormal form, 565
- Einstein-Rosen bridge, 655
- electrical charge density, 125
- electro-vac universe, 263
- electromagnetic duality-rotation, 233
- electromagnetic field tensor, 33, 50
- electromagnetic four-potential, 34, 225, 233, 504, 561
- electromagneto-vac domain, 224
- electrostatic potential, 319
- elementary divisors, 632
- elliptic p.d.e., 618
- embedded manifold, 94
- Emden equation, 575
- energy conditions, 180
- energy-momentum-stress tensor, 119
- equation of state, 216
- equilibrium of a deformable body, 221
- equivalence principle, 139
- ergosphere, 402
- Ernst equation, 333

- eternal black holes, 418
- eternal white holes, 418
- Euler equations for a perfect fluid, 232
- Euler-Lagrange equations, 78, 159, 596
 - classical mechanics, 596
 - for particle in curved space-time, 157
 - for particle in Schwarzschild space-time, 242, 243
 - for scalar field, 599
- event horizon, 367
- exact form, 33
- expansion scalar, 184
- expansion tensor, 184
- extended extrinsic curvature, 604
- extended real numbers, 409
- exterior derivative, 31
- exterior product, 28
- extrinsic curvature tensor, 89–104, 167
 - extended, 604
- F
- F-L-R-W metrics (or Friedmann-Lemaître-Robertson-Walker), 436–471
- F-W transport, 147
- Fermi derivative, 147
- Fermi-Walker transport, 147
- fifth force, 643
- fine-structure constant (electrodynamic), 583
- fine-structure parameter (eigenvalue of charged scalar-wave gravitational condensate), 583
- Finsler metric, 157
- first contracted Bianchi's identities, 63
- first curvature, 147
- first fundamental form, 91
- Flamm's paraboloid, 241
- flat domain, 64
- flat manifold, 67
- Fock-deDonder gauge, 649
- form
 - 1-form, 10
 - closed, 33
 - differential, 31
 - exact, 33
- Frenet-Serret formulas, 83
 - generalized, 82
- frequency of a wave, 504
- Friedmann-Lemaître-Robertson-Walker metrics (or F-L-R-W), 436–471
- G
- Gödel universe, 664–665
- gauge covariant derivatives, 561
- gauge transformation, 34
- Gauss' equations, 100
- Gauss' theorem, generalized, 65
- Gauss-Bonnet term, 608
- Gaussian curvature, 91
- Gaussian normal coordinate chart, 67, 202
- general covariance, 131
- general relativity, 168
- generalized D'Alembertian, 222
- generalized Frenet-Serret formulas, 82
- generalized Kronecker tensor, 29
- generalized wave operator, 222
- geodesic, 76
 - non-null, 77
 - null, 77
- geodesic deviation equations, 80
- geodesic equations, 77
 - for dust, 186
 - for particle in \square -domain, 369
 - for particle in Schwarzschild space-time, 242
 - for the Euclidean plane \mathbb{E}_2 , 78
- geodesic normal coordinate chart, 67, 102, 202
- geodesically complete manifold, 170
- geometrized units, 164
- geons, 591
- Global Positioning System (G.P.S.), 336
- gravitational constant, G , 66, 162
- gravitational field equations, 163

- gravitational instantons, 351, 667–671
- gravitational mass, 138
- gravitational redshift, 250
- gravitational wave astronomy, 647
- gravitational waves, 167, 647–653
- gravitons, 649
- gravo-electromagnetic potential, 356
- group
 - Bondi-Metzner-Sachs, 240
 - conformal, 640
 - Lie, 45
 - Lorentz, 45, 109
 - Möbius, 356
 - Poincaré, 109
 - symplectic, 173
- group of motion, 73
- H
- H-K-S-D metric (or Hawking-Kloster-Som-Das), 670
- Hamilton-Jacobi equation, 615
- Hamiltonian
 - for particle in a static gravitational potential, 326
 - for particle in an electromagnetic field, 160
 - relativistic, 158
 - relativistic equations of motion, 160
 - relativistic mechanics, 158
 - super, 158
- harmonic coordinate conditions, 174
- harmonic function, 307, 622
- harmonic gauge, 174, 649
- Hausdorff manifold, 1
- Hawking-Kloster-Som-Das metric (or H-K-S-D), 670
- heat flow vector, 232
- Heaviside-Lorentz units, 123
- Hessian, 616
- Higgs fields, 471
- Hilbert-Palatini approach for deriving field equations, 601
- Hodge star operation, 50
- Hodge-dual operation, 496
- holomorphic function, 622
- holonomic constraint, 158
- homeomorphism, 1
- homogeneity, 442
- homogeneous p.d.e., 611
- homogeneous state of the complex wave function, 570
- Hopf's theorem, 307
- Hubble function, 448
- Hubble parameter, 448
- hybrid tensor field, 96–98
- hyperbolic p.d.e., 618
- hypersurface, 367
 - null, 131
- hypersurface orthogonal coordinate, 67
- I
- I-S-L-D jump conditions, 167
- identity tensor, 46
- immersion, 94
- incoherent dust, 185
- index
 - contravariant, 51
 - covariant, 51
- index lowering, 48
- index raising, 48
- inertial mass, 138
- inertial observer, 113
- inflationary era, 446
- initial value problem, 207
- inner-product or dot product, 42
- instanton, 351, 667–671
- instanton-horizon, 668
- integrability conditions, 99
- integral conservation, 120
- integral curve, 35
- intrinsic curvature
 - extended, 604
- intrinsic metric, 90
- invariant eigenvalue problem, 91
- invariant eigenvalues, 177
- irrotational motions, 184
- isomorphism, 501
 - on tensor space, 48
- isotropic sectional curvature, 441

isotropy, 441

- Lorentz transformation, 45, 109
 orthochronous, 192
 Lorentz-Heaviside units, 123
- M**
- magnetic potential, 315
 manifold
 constant curvature, 68, 73
 differentiable, 3
 Einstein, 69
 embedded, 94
 flat, 67
 geodesically complete, 170
 Hausdorff, 1
 orientable, 3
 paracompact, 1
 pseudo-Riemannian, 64
 Ricci flat, 70, 164
 Riemannian, 64
 Riemannian or pseudo-Riemannian,
 56, 64
 topological, 3
 Maple(TM), 672
 mass
 gravitational, 138
 inertial, 138
 mass density, 118
 mass-shell, 117
 Mathematica(TM), 672
 matrix
 characteristic, 625
 Lorentz, 133
 nilpotent, 629
 rank of, 18
 unit, 8
 matter-dominated era, 445
 maximal atlas, 3
 maximum-minimum principle, 307
 Maxwell's equations, 34, 123
 Maxwell-Lorentz equations, 124
 mean curvature, 91
 Meissner effect, 571
 metric
 anti-de Sitter, 195, 644, 664
 Bianchi type-I, 448
 Brinkman-Robinson-Trautman, 514
 components, 44
 conformastat, 309
 conformastationary, 358
 conjugate, contravariant, or in-
 verse, 44
 Curzon-Chazy, 299
 de Sitter, 431, 450, 644
 Einstein static universe, 434
 Finsler, 157
 Friedmann-Lemaître-Robertson-
 Walker (or F-L-R-W), 436–
 471
 Gödel, 664
 Hawking-Kloster-Som-Das (or H-
 K-S-D), 670
 Kasner, 212, 306, 310, 323
 Kerr, 334–339, 399–417
 higher dimensional generaliza-
 tion, 343
 Kerr-Newman, 337, 415
 Kottler, 252
 Kruskal-Szekeres, 379–380
 Lemaître, 280
 Lorentz, 45, 64
 positive definite, 43, 64
 pseudo-Schwarzschild, 311
 Reissner-Nordström-Jeometry, 265,
 394
 Robinson-Trautman, 549
 Schwarzschild, 239–251, 311, 350,
 364–382
 higher dimensional generaliza-
 tion, 253
 Schwarzschild's interior, 263
 signature, 43
 Taub-NUT, 671
 tensor, 42
 Tolman-Bondi-Lemaître, 276
 Vaidya, 284
 Van Stockum, 665
 warp-drive, 660
 Weyl-Majumdar-Papapetrou-Das
 (or W-M-P-D), 319
 wormhole, 656
 metric equations, 321
 metric tensor, 42

- Minkowskian chart, 105
 Minkowskian chronometry, 113
 Monge surface, 102
 monogenic forces, 156
 most general solution, 609
 multilinearity conditions, 18
 Möbius group, 356
- N**
- Newman-Penrose equations, 538, 545–547
 Newtonian acceleration, 74
 Newtonian approximation, 245
 Newtonian gravitational constant, G , 66, 162
 Newtonian gravitational potential, 66, 138, 142, 162, 169, 203, 280, 291–294, 299, 304, 319
 Newtonian mass, 66
 nilpotent matrix, 629
 nilpotent operator, 33
 no hair theorem, 412
 non-degeneracy conditions, 11
 non-linear eigenvalue problem for a theoretical fine-structure constant, 582
 non-null differentiable curve, 81
 non-null geodesic, 77
 norm or length, 43
 normal coordinate, 67
 normal forms, 619
 normal or canonical forms, 510
 null cone, 108
 null curve, 112
 null electromagnetic field, 231, 503
 null energy condition, 180
 null hypersurface, 131
 null vectors, 106
 numerical tensor, 29, 111
 NUT potential, 669
- O**
- Oppenheimer-Volkov equation, 261
 order (system of p.d.e.s), 611
 order of a tensor, 18
 orientable manifold, 3
 oriented relative tensor field, 26
 oriented tensor field, 50
 oriented volume, 65
 orthochronous Lorentz transformation, 192
 orthogonal coordinate chart, 61
 orthogonal vector fields, 42
 orthonormal basis, 42
 orthonormal components, 47
 outer ergosurface, 402
 outer product, 19
 overdetermined system, 166
- P**
- Painlevé-Gullstrand coordinate chart, 370
 Palatini approach for deriving field equations, 601
 Papapetrou-Ehlers class, 350
 parabola, semi-cubical, 16
 parabolic p.d.e., 618
 paracompact manifold, 1
 parallelly propagated, 74
 parameterized curve, 11
 parametric surface, 89
 parametrized hypersurface, 94
 Penrose-Carter compactification, 409
 perfect fluid, 180, 216–218
 perihelion, 245
 perihelion shift, 246
 permutation symbol, 30

- complex electromagnetic, 356
- complex gravo-electromagnetic potential, 356
- electromagnetic four, 34, 225, 233, 504, 561
- electrostatic, 319
- equation, 321, 323
- function, 307
- gravo-electromagnetic potential, 356
- magnetic, 315
- Newtonian gravitational, 66, 138, 142, 162, 169, 203, 280, 291–294, 299, 304, 319
- NUT, 669
- scalar field, 462, 464
- twist, 347, 353, 356
- potential equation, 321, 323
- potential function, 307
- pressure, 180
- principal curvature, 147
- principal pressures, 182
- principal tensions, 182
- principle of equivalence, 139
- Proca equation, 571
- profile curve, 92
- projection tensor, 183
- proper time, 112
- pseudo-angle, 44
- pseudo-Cartesian chart, 45, 68

- quintessence, 461–466
- scalar field potential, 462, 464
- Schwarzschild metric, 239–251, 311, 350, 364–382
 - higher dimensional generalization, 253
- Schwarzschild radius, 240, 364
- Schwarzschild's interior solution, 263
- second contracted Bianchi's identities, 63
- second fundamental form, 91
- Segre characteristic, 632–634
 - of energy-momentum-stress tensors, 177–180
 - of Ricci tensor, 516
- self-dual, 670
- self-duality, 497
- semi-cubical parabola, 16
- semi-linear p.d.e., 611
- semiclassical gravity, 561
- separation of a vector field, 42
- shear tensor, 184
- shock waves, 610
- signature of the metric, 43
- singularity theorems, 432–433, 449
- solid particle, 228
- space of constant curvature, 68, 73
- space-time foam, 654, 655
- spacelike curve, 111
- spacelike vectors, 106
- spin coefficients, 538
- spinor algebra, 547
- spinor analysis, 547
- spinor fields, 111
- stationary limit surface, 402
- Stokes' theorem, generalized, 34
- stress density, 118
- stress tensor field, 119
- string theory, 468, 472, 479, 560
- strong energy condition, 181
- summation convention, 7
- surface
 - Monge, 102
 - parametric, 89
 - ruled, 85, 97
- surface of revolution, 92
- Sylvester's law, 623
- symmetric tensor, 27
- symmetrization operation, 27
- symmetrized curvature tensor, 155, 172
- symplectic group, 173
- Synge's doubly-null coordinates, 372
- Synge's junction conditions, 166
- Synge's world-function, 86
- T-domain, 280
- tachyon condensation, 468
- tachyonic (or Born-Infeld) scalar field, 467–471
- tangent vector, 6, 7
- tangent vector space, 7
- Taub-NUT metric, 671
- tensor
 - antisymmetric, 28
 - canonical energy-momentum-stress, 119
 - conformal, 71
 - conjugate, contravariant, or inverse metric, 44
 - Cotton-Schouten-York, 309
 - curvature
 - Riemann, 55
 - extended extrinsic, 604
 - extrinsic, 89–104, 167
 - Ricci, 62
 - Riemann-Christoffel, 59, 62
 - symmetrized, 155, 172
 - density, 26
 - Einstein, 63
 - electromagnetic field, 33, 50
 - energy-momentum-stress, 119
 - expansion, 184
 - extended extrinsic curvature, 604
 - extrinsic curvature, 89–104, 167
 - field, 20
 - generalized Kronecker, 29
 - hybrid field, 96–98
 - identity, 46
 - Killing, 414
 - Levi-Civita, 49

- metric, 42
- numerical, 29, 111
- order of, 18
- oriented, 26, 50, 63
- oriented antisymmetric, 49
- polarization, 651
- projection, 183
- rank of, 18
- relative, 26, 63
- Ricci, 62
- Riemann, 55
- Riemann-Christoffel, 59, 62
- shear, 184
- stress, 119
- symmetric, 27
- symmetrized curvature, 155, 172
- torsion, 54
- totally antisymmetric, 27, 49
- trace-reversed perturbation, 648
- vorticity, 184
- Weyl conformal, 71
- Weyl's projective, 71
- tensor density field, 26
- tensor field, 20
- tensor product, 19
- tetrad, 106, 481
 - complex null, 485
- Theorema Egregium, 101
- tidal forces, 143
- time machine, 662–666

